Tarrison Products Ltd.

Constitu



The industry's first all-convertible "shift on the fly" refrigeration system.



Conver Tma-Jemp **Convert-a-Temp** refrigeration units are the most unique and comprehensive refrigeration systems on the market today. We integrate patent pending technology with a unique body design to make our units the most efficient, effective, and innovative in the foodservice market.

Convert-a-Temp offers many different configurations to choose from, including the industry's only fully convertible units. All freezers are fully convertible to refrigerator temperatures and all refrigerators can be converted temporarily to freezers by simply adjusting the temperature on our state-of-the-art PC board. Just compare Convert-a-Temp's features to the competition and begin to understand why Convert-a-Temp is your best choice.



Convert-a-Temp is a full line of solid door refrigerators, freezers and dual temperature cabinets with **convertible temperature** capability. Why buy a separate refrigerator and freezer when one Convert-a-Temp unit can do the job of both at a fraction of the cost?

Features and Benefits

"Shift on the fly" technology allows Convert-a-Temp freezer sections to be fully convertible to refrigerator temperatures and refrigerator sections temporarily convertible to freezer temperatures. As your refrigeration requirements change daily, your Convert-a-Temp unit will change to meet those requirements. Simply adjust the temperature on the exterior PC board and your Convert-a-Temp unit becomes the most unique, versatile and "must-have" piece of equipment in your kitchen.

Exterior state-of-the-art computerized thermometer and temperature control PC board with LED display. Through this technology, *Convert-a-Temp* was able to create the industry's first fully convertible refrigeration units. *Convert-a-Temp* units can be set exactly to a wide range of desired temperatures. Operators are able to pinpoint the temperature and continually monitor the temperature at a glance. This feature will meet the most stringent health code requirements. Temperature setting is easy, fast and accurate.



Stainless steel interior and exterior exterior for greater durability, construction and appearance. Heavy-duty overall construction for high-volume, constant duty operation.

Indirect Fin-Coil Cooling. Convert-a-Temp fin coil evaporators use the power of gravity to indirectly circulate in the box, creating low velocity airflow and more even temperatures. Coils that blow air directly over the product either dry out the product or create unhealthy frost. Also, the fans are designed to stop operating when the door is open to limit the release of cool air.



Convenient and energy-efficient half-door design. While most charge extra for optional half doors, it's standard on all *Convert-a-Temp* units. Opening only half a door will release only half of the cold air. This feature ultimately decreases compressor run-time and increases efficiency. The doors also have recessed handles and come with adjustable tension springs for hands-free closing.

"Auto-D" Evaporator Defrost. Convert-a-Temp units offer an automatic evaporator defrost system. The "Auto-D" is programmed into every Convert-a-Temp PC board. If the computerized thermometer and temperature control senses that the evaporator temperature is low enough for ice to accumulate, the unit will automatically cycle into defrost. This system will increase the longevity of the unit and automatically eliminate any ice generated during use.

Models J4SFF-40B and J6SFF-61B feature a Multiple Compressor System. If a compressor breaks

down, the other will continue to operate sufficiently to maintain a safe temperature. Also, instead of one compressor doing all the work to cool your unit there are multiple compressors sharing the workload. Each compressor works less and as a result, extends its life. Another benefit of the *Convert-a-Temp*



multiple compressor system is that the decibel level is lower with two compressors working in place of one noisy compressor.

Models J6SFF-61B and J6SRR-61B feature dual compartments. Dual compartments allow for each compartment to have an independent temperature setting.

Heavy-duty 5" casters standard for easy mobility and installation. *Convert-a-Temp* units are 76.2" high on casters to wheel through most standard doors.

All Convert-a-Temp units come standard with four adjustable epoxy coated steel wire shelves per section. Also, an electric condensate evaporator is standard. You don't need a floor drain when you have a *Convert-a-Temp* unit. Other features include 2.5" thick, foamed in place polyurethane high-density insulation and interior lights.

Warranty: 1-year parts and labour and 5-year compressor

MODEL	DOOR	CAPACITY	DIMENSIONS L" x W" x H"*	WEIGHT lbs.	SHELVES
J2SRR-21B	2 half	21 cu. feet	29.1 x 32.5 x 76.2	209	4
J2SFF-21B	2 half	21 cu. feet	29.1 x 32.5 x 76.2	216	4
J2SRF-20B	2 half	20 cu. feet	29.1 x 32.5 x 76.2	230	4
J4SRR-40B	4 half	40 cu. feet	49.6 x 32.5 x 76.2	397	8
J4SFF-40B	4 half	40 cu. feet	49.6 x 32.5 x 76.2	437	8
J4SRF-40B	4 half	40 cu. feet	49.6 x 32.5 x 76.2	419	8
J4SRF-40BQ	4 half	40 cu. feet	49.6 x 32.5 x 76.2	419	8
J6SRR-61B	6 half	61 cu. feet	74.8 x 32.5 x 76.2	525	12
J6SFF-61B	6 half	61 cu. feet	74.8 x 32.5 x 76.2	550	12
J6SRF-61B	6 half	61 cu. feet	74.8 x 32.5 x 76.2	530	12

^{*}Height dimension includes casters.



21 cu. ft.



*20 cubic feet



40 cu. ft.





61 cu. ft.



VERSATILITY

"When my menu changes my storage requirements change too. With Convert-a-Temp's convertibilty feature, I don't have to worry about buying another piece of equipment."

ACCURACY

"The Convert-a-Temp control system allows me to pinpoint the temperature for the product I'm storing, which keep my customers safe and the health inspector satisfied."

DURABILITY

"The Convert-a-Temp has stainless steel inside and out which is easy to clean and keeps the unit looking newer longer."

VALUE

"I saved hundreds of dollars on my Convert-a-Temp unit. It does so much more than a standard refrigeration unit."





1123 South Service Road West, Oakville, Ontario Canada L6L 6K4

Tel: 905-825-9665 **Fax:** 905-825-0965 sales@tarrison.com **www.tarrison.com**